



1.Configuration can be customized, more and higher configuratons can be offered
 2.Price can be discussed for large quantity / amount
 3.Please feel free to contact Dell sales for any concern
 Juliet Zhuo - Tel: 34160912 -# 6477634 <juliet.zhuo@Dell.com>
 Toby Chan - Tel: 90327019 <Toby.Chan@Dell.com>

Tender/ Negotiation No. RFT 40000-RFX00000479

Price Summary with Optional Features		
Item No.	Model	User Price (HKD)
	Category 1a: Desktop PC (SFF)	
1	Desktop PC (SFF)	
1.1	Dell Pro Slim QCS1250	3760
	Intel(R) Core(TM) Ultra 5 245 vPro(R) (13 TOPS NPU, 14 cores, up to 5.1GHz)	
	16GB: 2 x 8 GB, DDR5, up to 5600 MT/s, non-ECC	
	Intel® Q870	
	Front: 2 USB 2.0 (480 Mbps) ports 1 USB 3.2 Gen 1 (5 Gbps) port 1 USB 3.2 Gen 1 (5 Gbps) Type-C® port 1 global headset jack Rear: 2 USB 2.0 (480 Mbps) ports 2 USB 3.2 Gen 1 (5 Gbps) ports 1 DisplayPort™ 1.4a (HBR3) port 1 HDMI 2.1 (TMDS) port 1 RJ45 (1GbE) Ethernet port Rear (expansion, these are mutually exclusive options) 1 VGA port (optional) 1 Serial port (optional) 2 USB 3.2 Gen 2 (10 Gbps) ports (optional) 1 USB 3.2 Gen 2 (10 Gbps) Type-C® with DisplayPort™ Alt Mode port (optional) 1 HDMI 2.1 (FRL) port (optional) 1 DisplayPort™ 2.1 (UHBR20) port (optional) Slots: 1 half-height Gen3 PCIe x16 slot 2 half-height Gen3 PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth combo card 1 M.2 2230/2280 slot for solid state drive 1 SATA 3.0 slots for 3.5-inch hard drive 1 SATA 3.0 slots for slim optical drive 1 Kensington Security Cable Slot Dimension: (H x W x D): 30.3 x 9.5 x 29.3 cm	
	512 GB, M.2, Gen 4 PCIe NVMe, SSD	
	No wireless card (upgradeable)	
	No Internal Speaker (upgradeable)	
	No keyboard / mouse (If you wish to purchase, please select them from the optional items.)	
	Integrated Graphics	
	RJ45 Ethernet Port 10/100/1000 Mbps	
	Windows 11 Enterprise- (Microsoft Enrollment for Education Solutions EES, previously called Microsoft Campus Agreement, upgrade from Windows 11 Home version)	
	Standard asset report (MAC Address/serial number/hardware config)	
	180W Bronze internal power supply unit	
	3Yr NBD Onsite Warranty, Labour & Parts inclusive	
	Remarks: "Installation" service NOT included.	
2	CPU Downgrade & Upgrade	
2.1	Upgrade to Intel® Core™ Ultra 7 265 vPro® (13 TOPS NPU, 20 cores, up to 5.3GHz) - Not available for Dell Pro Micro	1500
2.2	Upgrade to Intel® Core™ Ultra 7 265T vPro® (13 TOPS NPU, 20 cores, up to 5.3GHz) - Dell Pro Micro only	1500
2.3	Upgrade to Intel® Core™ Ultra 9 285 vPro® (13 TOPS NPU, 24 cores, up to 5.6GHz) - Dell Pro Slim Plus, Dell Pro Tower Plus, Dell Pro Micro Plus only.	3600
3	Memory Upgrade	
3.1	Upgrade to 32GB: 2 x 16GB, DDR5, up to 5600 MT/s, dual-channel	1000
3.2	Upgrade to 64GB: 2 x 32GB, DDR5, up to 5600 MT/s, dual-channel	2500
3.3	128GB: 4 x 32GB, DDR5, up to 4400 MT/s, non-ECC- Dell Pro Slim Plus, Dell Pro Tower Plus only.	6500

4	Harddisk Upgrade	
4.1	Upgrade to 1TB, M.2, Gen 4 PCIe NVMe, SSD	600
4.2	Upgrade to 2TB, M.2 2280, Gen 4 PCIe NVMe, SSD - Dell Pro Slim Plus, Dell Pro Tower Plus, Dell Pro Micro Plus only.	1800
4.3	Add 1TB, M.2 2280, Gen 4 PCIe NVMe, SSD	1100
4.4	Add 2TB, M.2 2280, Gen 4 PCIe NVMe, SSD - Dell Pro Slim Plus, Dell Pro Tower Plus, Dell Pro Micro Plus only.	2400
4.5	Add 2TB 3.5 inch (7,200 rpm) SATA Hard Drive	600
4.6	Add 4TB 3.5 inch (5,400 rpm) SATA Hard Drive - Dell Pro Slim Plus, Dell Pro Tower Plus only.	800
5	Display Option	
5.1	Optional VGA port	60
5.2	Optional DisplayPort	80
5.3	Optional HDMI port	90
5.4	Optional 2 x USB 3.2 Gen 2 Type-A Ports	120
5.5	Optional USB Type-C with DisplayPort Alt mode	150
5.6	Display Port to DVI Adapter	100
5.7	Display Port to HDMI Adapter	100
5.8	HDMI to VGA Adapter	130
5.9	AMD Radeon™ RX 6300 2GB GDDR6, 2xDP - Not available for Micro chassis	1000
5.10	NVIDIA® GeForce RTX™ 4060, 8GB GDDR6, Full Height, 3 DP, 1 HDMI- Dell Pro Tower Plus only	4000
6	Chassis Upgrade (If need to change Chassis, please contact Juliet Zhuo for checking)	
6.1	Change to Dell Pro Slim Plus with 260W 80 PLUS Bronze internal power supply unit: Front: 1 USB 2.0 (480 Mbps) port 1 USB 2.0 (480 Mbps) port with PowerShare 1 USB 3.2 Gen 2 (10 Gbps) port 1 USB 3.2 Gen 2x2 (20 Gbps) Type-C® port 1 global headset jack Rear: 2 USB 2.0 (480 Mbps) ports with SmartPower On 3 USB 3.2 Gen 1 (5 Gbps) ports 1 USB 3.2 Gen 2 (10 Gbps) Type-C port 3 DisplayPort™ 1.4a (HBR3) ports 1 RJ45 (1GbE) Ethernet port Rear (expansion, these are mutually exclusive options) 1 Serial port (optional) 1 VGA port (optional) 1 HDMI 2.1 (FRL) port (optional) 1 DisplayPort™ 2.1 (UHBR20) port (optional) 2 USB 3.2 Gen 2 (10 Gbps) ports (optional) 1 USB 3.2 Gen 2 (10 Gbps) Type-C® with DisplayPort™ Alt Mode port (optional) 1 Thunderbolt™ 4 (40 Gbps) port + 1 USB 3.2 Gen 2 (10 Gbps) Type-C® port (optional) 1 LC (5GbE) Fiber optic port 12 (optional)(Peer-to-Peer) 1 RJ45 (5GbE) Ethernet port (optional) Dimension: (H x W x D): 30.3 x 9.5 x 29.3 cm	300
6.2	Change to Dell Pro Micro with Core Ultra 5 245T CPU(35W) & External AC Adapter: Front: 1 USB 3.2 Gen 2 (10 Gbps) Type-C® port 1 USB 3.2 Gen 1 (5 Gbps) port 1 headset (headphone and microphone combo) port Rear: 1 USB 3.2 Gen 1 (5 Gbps) port with SmartPower On 1 USB 3.2 Gen 1 (5 Gbps) port 2 USB 2.0 (480 Mbps) ports 1 DisplayPort™ 1.4a (HBR3 support) port for computers shipped with Intel® 1 HDMI 2.1 port 1 RJ-45 Ethernet port (1Gbps) 1 power-adaptor port Slots: 1 M.2 2230 slot for Wi-Fi and Bluetooth combo card 2 M.2 2230/2280 slots for solid-state drive Dimention: (H x W x D) 18.2cm x 3.6cm x 17.8cm	600

6.3	Change to Dell Pro Micro Plus with Core Ultra 5 245 CPU (65W) & External AC Adapter: Front: 1 USB 3.2 Gen 2x2 (20 Gbps) Type-C ® port 1 USB 3.2 Gen 2 (10 Gbps) port 1 USB 3.2 Gen 2 (10 Gbps) with PowerShare port 1 headset (headphone and microphone combo) port Rear: 1 USB 3.2 Gen 2 (10 Gbps) Type-C ® port 2 USB 3.2 Gen 2 (10 Gbps) ports 1 USB 3.2 Gen 1 (5 Gbps) port with SmartPower On 1 USB 3.2 Gen 1 (5 Gbps) port 3 DisplayPort™ 1.4a (HBR3 support) ports 1 RJ-45 Ethernet port (1Gbps) 1 power-adaptor port Slots: 1 M.2 2230 slot for Wi-Fi and Bluetooth card 2 M.2, Gen4 PCIe NVMe slots for M.2 2230 or M.2 2280 solid-state drives Dimention: (H x W x D) 18.2cm x 3.6cm x 17.8cm	900
6.4	Change to Dell Pro Tower: Front: 2 USB 2.0 (480 Mbps) ports 1 USB 3.2 Gen 1 (5 Gbps) Type-C ® port 1 USB 3.2 Gen 1 (5 Gbps) port 1 global headset jack Rear: 2 USB 2.0 (480 Mbps) with SmartPower On ports 2 USB 3.2 Gen 1 (5 Gbps) ports 1 RJ45 (1 Gbps) Ethernet port 1 HDMI 2.1 (TMDS) port 1 DisplayPort™ 1.4a (HBR3) port 1 legacy serial port (optional) 1 VGA port (optional) 1 HDMI 2.1 (FRL) port (optional) 1 DisplayPort™ 2.1 (UHBR20) port (optional) 2 USB 3.2 Gen 2 (10 Gbps) ports (optional) 1 USB 3.2 Gen 2 (10 Gbps) Type-C® with DisplayPort™ Alt Mode port (optional) Slots: 1 SATA 3.0 HDD slot 1 SATA 3.0 ODD slot 2 full-height Gen3 PCIe x1 slots 1 full-height Gen3 PCIe x16 slot 1 M.2 2230/2280 SSD slot 1 M.2 2230 slot for WiFi and Bluetooth combo card Dimention: (H x W x D) 32.4cm x 15.4cm x 29.3cm	800
6.5	Change to Dell Pro Tower Plus with 260W 80 PLUS Bronze internal power supply unit: Front: 1 USB 2.0 (480 Mbps) with PowerShare port 1 USB 2.0 (480 Mbps) port 1 USB 3.2 Gen 2x2 (20 Gbps) Type-C ® port 1 USB 3.2 Gen 2 (10 Gbps) port 1 global headset jack Rear: 3 USB 3.2 Gen 1 (5 Gbps) ports 3 DisplayPort™ 1.4a (HBR3) ports 2 USB 2.0 (480 Mbps) with SmartPower On ports 1 USB 3.2 Gen 2 (10 Gbps) Type-C ® port 1 RJ45 (1 Gbps) Ethernet port 1 legacy serial port (optional) Rear (expansion, these are mutually exclusive options): 1 VGA port (optional) 1 HDMI 2.1 (FRL) port (optional) 1 DisplayPort™ 2.1 (UHBR20) port (optional) 2 USB 3.2 Gen 2 (10 Gbps) ports (optional) 1 USB 3.2 Gen 2 (10 Gbps) Type-C ® with DisplayPort™ Alt Mode port (optional) 1 Thunderbolt™ 4 (40 Gbps) port + 1 USB 3.2 Gen 2 (10 Gbps) Type-C ® with DisplayPort™ Alt Mode port (optional) 1 5GbE Fiber Optical (Peer-to-Peer) 12 1 RJ45 (5GbE) Ethernet port (optional)	1100

	Slots: 1 SATA 3.0 HDD slot;1 SATA 3.0 ODD slot; 1 Full-height Gen4 PCIe x16 slot 1 Full-height Gen3 PCIe x4 open-end slot 1 Full-height Gen3 PCIe x1 slot 1 Full-height Gen3 PCIe x4 slot (expansion board) 1 M.2 2230 SSD slot 2 M.2 2230/2280 SSD slot 1 M.2 2230 slot for WiFi and Bluetooth combo card 1 SD-card 4.0 slot (optional) Dimension: (H x W x D) 32.4cm x 15.4cm x 29.3cm	
7	Others	
7.1	Dell USB Entry Keyboard & Mouse - Black	150
7.2	Upgrade to Wi-Fi 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth ® wireless card	200
7.3	Add internal speaker	20
7.4	8x DVD+/-RW 9.5mm Optical Disk Drive	100
7.5	External USB Slim DVD +/- RW Drive	230
7.6	Optional Serial Port	100
7.7	Intel vPro® Enterprise	200
7.8	Optional Dust filter	99
7.9	Upgrade to Dell Pro Wireless Keyboard and Mouse - KM5221W	400
7.10	Upgrade to Dell Premier Multi-Device Wireless Keyboard and Mouse US English - KM7321W	830
8	Operating System	
8.1	No Windows bundled (Basic configuration cannot provide)	-150
9	Service	
9.1	PC data destroying before Environmental recycling (MOQ:20)	136
9.2	Asset Management Solution (standard asset label on PC and packing box)	150
9.3	ProDeploy Service for Information Technology Services (ITS) - pls contact Juliet Zhuo before select this service	300
10	PC Warranty Upgrade	
10.1	Upgrade to 4Yr ProSupport NBD Onsite Service	400
10.2	Upgrade to 5Yr ProSupport NBD Onsite Service	600
10.3	Upgrade to 3Yr ProSupport: Same Day Onsite Service	550
10.5	Upgrade to 5Yr ProSupport: Same Day Onsite Service	1100
11	Monitor	
	Entry Level	
11.1	21.5" VA LED Monitor (Model: Dell E225HM) (1920x1080, VGA, DisplayPort, HDMI)	750
	Professional Series - Height Adjustable and Swivel	
11.2	23.8" IPS Monitor - E2425HSM (1920x1080, VGA,HDMI, DisplayPort, with 2x 2W internal speaker)	983
11.3	21.5" IPS Monitor (Model: Dell P2225H) (1920x1080, DisplayPort, VGA, HDMI, USB*4)	1068
11.4	23.8" IPS Monitor (Model: Dell P2425H) (1920x1080, DisplayPort, VGA, HDMI, USB*4)	1095
11.5	23.8" IPS Monitor (Model: Dell P2425HE) (1920 x 1080, DisplayPort, HDMI, USB-C , USB*4, LAN(RJ-45))	1500
11.6	24" Touch IPS Monitor (Model: Dell P2424HT) (1920 x 1080, DisplayPort, HDMI, LAN(RJ-45))	3000
11.7	23.8" QHD IPS Monitor (Model: Dell P2425D) (2560 x 1440, DisplayPort, HDMI, USB*4)	2000
11.8	23.8" Video conferencing IPS Monitor (Model: Dell P2424HEB) (1920 x 1080, Webcam, Speaker and Noise Reduction Microphone, DisplayPort, HDMI, LAN(RJ-45))	3300
11.9	27"IPS Monitor (Model: Dell P2725H) (1920x1080, DisplayPort, VGA, HDMI, USB*4)	1550
11.10	27" QHD USB-C Hub IPS Monitor (Model: Dell P2725DE) (2560 x 1440, DisplayPort, HDMI, USB-C, USB*3, LAN(RJ-45))	2480
11.11	27" 4K USB-C Hub IPS Monitor (Model: P2725QE) (4K 3840 x 2160 60 Hz,HDMI,DisplayPort,USB-C,4 x USB,LAN (RJ-45))	2840
11.12	31.5"4K USB-C Hub IPS Monitor (Model: P3225QE) (4K 3840 x 2160,60 Hz,HDMI,DisplayPort ,USB-C,4 x USB 3.2,LAN (RJ-45)	4000
11.13	34" Curved USB-C Hub IPS Monitor (Model:P3425WE) (3440 x 1440, HDMI,DisplayPort, LAN(RJ-45))	5600
	UltraSharp Series (100% sRGB)	
11.14	Dell UltraSharp 24 Monitor U2424H (1920 x 1080 , 120 Hz, DisplaPort, HDMI, 100% sRGB 、 100% BT.709 、 85% DCI-P3, 16.7 million colors)	1800
11.15	Dell UltraSharp 27 Monitor U2724D 27" (2560x1440, DisplayPort, HDMI, 100% sRGB 、 100% BT.709 、 98% Display P3 、 98% DCI-P3, 1.07 billion colors)	3000

11.16	Dell UltraSharp 27 Thunderbolt Hub Monitor U2724DE 27"	3800
	(2560x1440, DisplayPort, HDMI, Thunderbolt 4, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 98% Display P3 、 98% DCI-P3, 1.07 billion colors)	
11.17	Dell UltraSharp 27 4K Monitor - U2725QE	4486
	(3840x2160, 120 Hz, 2*DisplayPort, HDMI, Thunderbolt 4, 5*USB 3.2 ports, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 99% DCI-P3, 1.07 billion colors)	
11.18	Dell UltraSharp 32 4K Monitor - U3225QE	5600
	(3840x2160, 120 Hz, 2*DisplayPort, HDMI, Thunderbolt 4, 5*USB 3.2 ports, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 99% DCI-P3, 1.07 billion colors)	
11.19	Dell UltraSharp Curved 34 Thunderbolt Hub Monitor - U3425WE	6300
	(3440x1440, 120 Hz, DisplayPort, HDMI, Thunderbolt 4, 5*USB 3.2 ports, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 98% Display P3, 98% DCI-P3, 1.07 billion colors)	
11.20	Dell UltraSharp Curved 38 USB-C Hub Monitor - U3824DW	9500
	(3840 x 1600 , 60 Hz, DisplayPort, 2x HDMI, USB-C, 4*USB 3.2 ports, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 98% Display P3, 98% DCI-P3, 1.07 billion colors)	
11.21	Dell UltraSharp Curved 40 Thunderbolt Hub Monitor - U4025QW	11500
	(5120 x 2160 , 120 Hz, DisplayPort, HDMI, Thunderbolt 4, 5*USB 3.2 ports, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 99% Display P3, 99% DCI-P3, 1.07 billion colors)	
11.22	Dell UltraSharp Curved 43 4K USB-C Hub Monitor - U4323QE	7500
	(3840 x 2160 , 60 Hz, 2x DisplayPort, 2x HDMI, USB-C, 3*USB 3.2 ports, LAN (RJ-45), 1.07 billion colors)	
11.23	Dell UltraSharp Curved 49 USB-C Hub Monitor - U4924DW	10500
	(5120 x 1440 , 60 Hz, DisplayPort, 2x HDMI, USB-C, 5*USB 3.2 ports, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 98% Display P3, 98% DCI-P3, 1.07 billion colors)	
11.24	Dell UltraSharp 32 6K Monitor - U3224KB	18000
	(6K 6144 x 3456 , 60 Hz, mini-DisplayPort, HDMI, USB-C, LAN (RJ-45), 100% sRGB 、 100% BT.709 、 99% Display P3, 99% DCI-P3, 1.07 billion colors)	
	Monitor Warranty Upgrade	
11.25	Monitor Upgrade to 4 Years NBD Warranty	300
11.26	Monitor Upgrade to 5 Years NBD Warranty	500